


MH = Behavioural description test :


When you look at the graph, the green circle represent the medum reaction from tested dobermann. You need to think if it is better or worse to have more or less from a special behaviour. You even need to control the age. If it is possible, we want them tested before 18 mounth (548 days).

- Subtest, Variable
- 1a Social Contact,Greetings
 - 1b Cooperation
 - 1c Handling
- 2a Play 1 Interest in play
 - 2b Grabbing
 - 2c Tug-of-war
- 3a Chase Following
 - 3b Grabbing
- 4 Passive situation Activity
 - 5a Distance play Interest
 - 5b Aggression
 - 5c Exploration
 - 5d Tug-of-war
 - 5e Play invitation
- 6a Sudden appearance Startle reaction
 - 6b Aggression
 - 6c Exploration
 - 6d Remaining avoidance
 - 6e Remaining approach
- 7a Metallic noise Startle reaction
 - 7b Exploration
 - 7c Remaining avoidance
 - 7d Remaining approach
- 8a Ghosts Agression
 - 8b Attention
 - 8c Avoidance
 - 8d Exploration
 - 8e Greeting
- 9a Play 2 Interest in play
 - 9b Grabbing
- 10 Gunshots Avoidance



MH compared with medium dobermann




MH Dobfancier's R-kull



MH avkommor Grim-Keepers Aska



T-kullen



U-kullen

